



SAFETY DATA SHEET

SUMIPLEO

Revision Date : 11/04/2022
Revision Number : 01

1. PRODUCT AND COMPANY IDENTIFICATION

Identification of the product/preparation

Product Name: **SUMIPLEO**
Registration Number: L8377
Product use: Insecticide

Active Ingredient

Pyridalyl
CAS Number: 179101-81-6

Supplier

Company Name: PHILAGRO SOUTH AFRICA (PTY) LTD
Address: 1st Floor, The Corner Office
410 Lynnwood Road
LYNNWOOD RIDGE 0040
Telephone: +27(0) 12 348 8808
Fax: +27(0) 12 348 3500
E-mail Address: info@philagro.co.za

Emergency Telephone Numbers:

Medical information in case of poisoning

Griffon Poison Information Centre: +27(0) 82 446 8946
Tygerberg Hospital Poison Centre: +27(0) 86 155 5777

Relevant identified uses of the product and uses advised against

Contact and stomach insecticide for the control of various lepidopterous and thysanopterous pests.

The product should not be used for any other purpose or in any other manner contrary to the information supplied on the product label.

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals – SANS10234 and the Regulations for Hazardous Chemical Agents - 2021.

Classification

HAZARD CLASS	CATEGORY	HAZARD STATEMENT NUMBER
Aspiration Hazard	1	H304
Skin Sensitization	1	H317
Serious Eye Damage/Irritation	2	H320
STOT SE	3	H336
Aquatic Toxicity - Acute	1	H400
Aquatic Toxicity - Chronic	1	H410

SAFETY DATA SHEET

SUMIPLEO

Label Elements

South Africa. GHS classification and labelling of chemicals – SANS10234, and the Regulations for Hazardous Chemical Agents - 2021.

Pictogram/s:



Signal Word:

Danger

Hazard Statements:

Statement Number	Hazard Statement
H304	May be fatal if swallowed and enters airways (aspiration hazard).
H317	May cause allergic skin reaction.
H320	Causes eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Prevention

Statement Number	Statement
P261	Avoid breathing fumes, mist, vapours, or spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264 + P265	Wash hands and face thoroughly after handling. Do not touch eyes.

Response

Statement Number	Statement
P319	Get medical help if you feel unwell.
P331	Do NOT induce vomiting.
P391	Collect spillage.
P301 + P316	IF SWALLOWED: Get emergency medical help immediately.
P302 + P352	IF ON SKIN: Wash with plenty of water under the safety shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P317	If skin irritation or rash occurs, get medical help.
P305 + P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing.



SAFETY DATA SHEET

SUMIPLEO

4. FIRST AID MEASURES

Description of First-Aid Measures

General Advice	Immediately remove contaminated clothing and move the affected person from the contamination area. Keep the person warm, calm and covered up. First aid personnel should pay attention to their own safety. In case of accident or if unwell, seek medical advice. Provide this SDS and the label to medical personnel for treatment.
Eye Contact	Immediately rinse/flush the eyes gently with water from the eye wash fountain for several minutes (at least 15 minutes), while holding the eyelids apart. If relevant - remove contact lenses if easy to do so. Continue rinsing. Do not rub eye/s. Obtain medical attention in case of irritation or discomfort that persists.
Skin Contact	Immediately remove all contaminated clothing. Rinse the skin with plenty of cold water for 15 to 20 minutes under the safety shower. Do not rub the skin. Contact a poison control center or medical practitioner if irritation occurs and persists. Wash contaminated clothing before re-use.
Inhalation	Immediately remove the affected victim from exposure to an area with fresh air. If breathing is difficult have qualified personnel administer oxygen. If breathing has stopped, administer artificial respiration. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the product; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If the patient is conscious, rinse nose, mouth, and throat with water.
Ingestion	If swallowed, seek medical attention, and show the container label, or this Safety Data Sheet to the medical practitioner. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Treat symptomatically and supportively. For advice, contact a Poisons Centre or a medical practitioner.

Medical Advice

No specific antidote. Symptomatic treatment and supportive therapy as indicated.

Most important symptoms/effects, acute and delayed

None known.



SAFETY DATA SHEET

SUMIPLEO

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	For small fires, use carbon dioxide, dry chemical (powder) foam or water spray. Foam and dry chemicals are recommended to minimize the environmental impact. Do not use high volume water jets due to potential contamination. If water is used for firefighting, dike and collect water to prevent run-off from the site.
Specific hazards arising from the chemical	Combustion and/or pyrolysis of the product in case of fire generates irritating, toxic and corrosive fumes (or gasses). Harmful substances in the water runoff from fire control may have adverse environmental and biological effects.
Special protective equipment and precautions for fire-fighters	Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible. Keep fire exposed containers cool by spraying with water. Evacuate the area and fight the fire upwind and from a safe distance to avoid exposure to hazardous combustion products and the inhalation of hazardous vapours and fumes from burning material. Avoid pollution of waterways by run-off from the site. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local and national regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures	Do not breathe in fumes/spray/mist and avoid contact with eyes, skin and clothes. Ventilate the area of the spill, especially when in confined areas. Do not touch or walk through spilled material. Contain spills if it can be done without risk. Wear appropriate protective clothing recommended in Section 8 of the SDS.
Environmental precautions	Prevent further spillage if safe to do so. Do not allow the spilt product to enter water courses and drains and avoid contact with soil. Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated. Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil, or air).
Methods for cleaning up	For small spills, cover with absorbent material and shovel up. Place into a labelled waste container. Seal the container and dispose of the collected spilt material as hazardous waste. For large spills, do not wash away into sewers. Contain the spill using absorbent cushions/socks/pads in the spill kit. Collect the spilt product in suitable containers for proper disposal. If spill is in water, contain contaminated water for disposal as hazardous waste.



SAFETY DATA SHEET

SUMIPLEO

7. HANDLING AND STORAGE

Precautions for safe handling

Read the label before use. Use in a well-ventilated area (preferably outdoors). Prevent contact with eyes, skin, and clothing. Do not breathe in fumes/mist/spray. Wear protective clothing and equipment during handling as described in Section 8 of the SDS. If clothing gets contaminated with the product, change to clean clothing promptly. Do not eat or drink during use. Wash the hands and face thoroughly after handling with soap. Keep containers closed when not in use. Do not permit smoking in use or storage areas.

Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled.

Conditions for safe storage, including any incompatibilities

The entrance to storage facilities should be granted only to appropriately trained personnel. Always store locked up and keep containers tightly closed. Store in the original, closed container. The formulation is stable if stored well ventilated, cool, and free of moisture and high humidity. Store below 30°C. Keep out of reach of children, uninformed persons, and animals. Protect containers from physical damage. Check the condition of storage containers periodically. Do not store with seed, fertilisers, or foodstuffs to prevent contamination.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters – National Occupational Exposure Limits

Occupational exposure limits have not been established for the classified ingredients in South Africa. These substances may however pose a health risk.

Appropriate engineering controls

Use with general or adequate local exhaust ventilation to maintain airborne concentrations as low as possible. Ensure adequate ventilation in confined areas. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal Protective Equipment

Respiratory Protection

In operations where the risk assessment indicates that there could be a high level of exposure (e.g., when exposure to mist or spray is expected), an approved respirator (half/full face mask) with a particulate filter and an organic vapour cartridge or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form, and concentration. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Skin and Hand Protection

Wear impervious chemical resistant gloves (e.g., butyl rubber or nitrile rubber). Information on glove penetration time is available from the manufacturer of the glove. Wash gloves when contaminated and dispose of and replace immediately when contaminated inside, when perforated, when contamination on the outside cannot be removed or when signs of damage. Impervious coveralls, apron, shoes, and socks are required to prevent skin contact and contamination of personal clothing.

Eye/Face Protection

Safety eyewear compliant with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dust. Safety goggles or a face shield is recommended.



SAFETY DATA SHEET

SUMIPLEO

General Safety and Hygiene Measures

Handle the product in accordance with good industrial hygiene and safety practice. An eye wash fountain and safety showers should be available and easily accessible. Avoid contact with the skin, eyes and clothing and immediately remove all contaminated clothing. Wash the hands and/or face before breaks and at the end of the shift.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/physical state	Liquid
Odour characteristics	Aromatic
Colour	Yellow, clear
Density (g/ml)	1.12 at 20°C
Solubility in water (g/100mL) @ 20°C	Miscible
Flammability	Not "highly flammable"
Flash point (°C)	65 (Hydrocarbons, C10, aromatics, <1% naphthalene - Solvent – ASTM D 93 Method))
Flammable limits-LEL	0.6 – 7.0 vol. % ((Hydrocarbons, C10, aromatics, <1% naphthalene – Solvent)
Vapour pressure (mPa) at 25°C	Not determined
Decomposition temperature (°C)	Not determined
Boiling point range(°C)	178-209
Melting point (°C)	Not applicable - liquid
pH (at 20 ± °C)	5.0 (1% aqueous suspension, 25°C)
Auto-ignition temperature (°C)	>400 (Hydrocarbons, C10, aromatics, <1% naphthalene - Solvent)
Particle characteristics	Not applicable – liquid
Density (20°C)	1.12 g/ml
Partition coefficient and 20°C (Log P _{ow}):	8.1 (PyridalyI – Active ingredient)
Viscosity	1.26 mm ² /s (static) (Hydrocarbons, C10, aromatics, <1% naphthalene - Solvent)

10. STABILITY AND REACTIVITY

Reactivity

The product is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. Could decompose at elevated temperatures.

Chemical Stability

Hazardous polymerization will not occur. Stable for a minimum of 2 years under recommended storage and handling conditions.

Possibility of Hazardous Reactions

None known under conditions of normal use.

Conditions to Avoid

Avoid extreme temperatures (>50°C), storage without ventilation, moisture (humidity) or light.

Incompatible Materials

Incompatible with strong oxidising agents.



SAFETY DATA SHEET

SUMIPLEO

Hazardous Decomposition Products

Does not decompose when used for intended uses.

Decomposes on heating. Under burning conditions, this product may form toxic and irritating fumes including, nitrogen oxides, carbon monoxide, carbon dioxide and hydrogen chloride.

11. TOXOLOGICAL INFORMATION

Information on likely routes of exposure

The product may be absorbed into the body by inhalation or by ingestion. The product may come into contact with the skin or eyes.

Information on toxicological effects

Acute toxicity:

No experimental toxicological data is available on the product. The assessment is based on calculation considering the individual ingredients.

SUMIPLEO has a low acute toxicity following dermal, oral or inhalation exposures.

Assessment of acute toxicity:

Product/ingredient Name	Dose Acute -	Species	Test Result
SUMIPLEO	>5000 mg/kg	Rat	ATE _(MIX) Oral
SUMIPLEO	>2000mg/kg	Rat	LD ₅₀ Dermal
SUMIPLEO	>5.0mg/L	Rat	ATE _(MIX) Inhalation (Dust/Mist)

Skin Corrosion/Irritation:

Assessment of serious damage to skin:

Based on available data, the classification criteria are not met.

Serious Eye Damage/Irritation:

Assessment of serious damage to eyes/eye irritation:

Based on available data, the classification criteria are met for eye irritation.

Mildly irritating.

Respiratory/Skin Sensitization:

Assessment of sensitization:

Based on available data, the classification criteria are met for skin sensitization.

Pyridalyl showed sensitization in both the Buehler and Maximization assays.

Germ cell mutagenicity:

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity and Developmental toxicity:

Assessment of reproduction toxicity:



SAFETY DATA SHEET

SUMIPLEO

Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are met.

Hydrocarbons, C10, aromatics, <1% naphthalene: Inhalation - vapor: Central nervous system - with narcotic effects.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are met.

Hydrocarbons, C10, aromatics, <1% naphthalene: If ingested, the product may be aspirated into the lungs and cause chemical pneumonitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is very toxic to aquatic organisms with potential long-lasting effects.

The product will not enter the environment under normal use if used as indicated on the label. Care should however be taken to avoid any additional release to ground water or sewage systems (even in small quantities), for example through inappropriate disposal.

No eco-toxicological data is available for the formulated product. This ecological assessment is based on data for the active ingredient (Pyridalyl technical).

Ingredient	Species and Genus	Exposure (hours/days)	Result in fresh water	Data Source/Test
Pyridalyl	Crustacea (Daphnia magna)	48h	Acute EC ₅₀ : 0.0038mg/L	ECHA
Pyridalyl	Fish (Oncorhynchus mykiss)	96h	Acute LC ₅₀ : 0.5mg/L	ECHA
Pyridalyl	Algae (Pseudokirchneriella subcapitata)	72h	Acute EC ₅₀ : 0.2mg/L	ECHA

Environmental Effect	Environmental Effect Applicable to Ingredient	Description
Persistence and Degradability:	Pyridalyl	Pyridalyl degraded in an aerobic soil metabolism study with half-lives of 93.7 to 346.6 days and had half-lives of 46.2 days to 256 days in several terrestrial field dissipation studies. The major route of degradation for Pyridalyl in laboratory studies was photo-degradation in soil and water. If released into water, Pyridalyl is expected to adsorb to suspended solids and sediment based upon the K _{oc} range.
Bioaccumulative Potential:	Pyridalyl	A BCF of >16,000 in bluegill sunfish suggests bio-concentration in aquatic organisms is very high.
Mobility in Soil:	Pyridalyl	Pyridalyl possesses a high lipophilicity and is strongly adsorbed to the soil - it possesses very little soil mobility - based upon a K _{oc} range of 402,000 to

SAFETY DATA SHEET

SUMIPLEO

2,060,000. Volatilization from moist soil surfaces is not expected to be an important fate process.

Other Adverse Effects: Pyridalyl

None known.

NOTE: The results of toxicity test performed on the Bobwhite quail indicated an LD50 >2,250 mg/kg. Pyridalyl therefore has a relatively insignificant effect upon birds.

13. DISPOSAL CONSIDERATIONS





Dispose in accordance with all local regulations. Do not contaminate water sources food, or feed by storage of the product or disposal of used containers. The product or empty containers must not be disposed of as part of general waste.

General container handling: Non-refillable container. Do not reuse for any purposes or refill the container. Triple rinse container (or equivalent) promptly after emptying.

Empty containers: Offer for recycling, if available. Recondition if appropriate or puncture and dispose of in a hazardous waste landfill, or by other procedures approved by the local authorities.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the product.

14. TRANSPORT INFORMATION

	Land Transport (ADR/RID)	Inland Waterways (AND/ADNR)	See Transport (IMDG)	Air Transport (ICAO- TI/IATA-DGR)
UN Number	3082	3082	3082	3082
UN Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS. (contains 48% Piridalyl)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS. (contains 48% Piridalyl)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS. (contains 48% Piridalyl)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS. (contains 48% Piridalyl)
Transport Hazard Class	9	9	9	9
Transport Hazard Class Pictogram				
Transport Subsidiary Class	None	None	None	None
Packaging Group	III	III	III	III
Environmental Hazard	YES	YES	Marine Pollutant	YES

15. REGULATORY INFORMATION



SAFETY DATA SHEET

SUMIPLEO

Symbol

N (Dangerous for the environment), Xn (Harmful).

R-Phrase Number

R36	Irritating to the eyes.
R43	May cause sensitisation by skin contact.
R65	Harmful: may cause lung damage if swallowed.
R67	Vapours may cause drowsiness and dizziness.
R50/53	Very toxic to aquatic organisms and may cause long-term effects.

Relevant regulatory information regarding authorization, Safety Data Sheets, Occupational Exposure Limits, Hazardous Substances, Dangerous Goods Transport and Waste:

South Africa: Occupational Health and Safety Act 1993. Regulations for Hazardous Chemical Agents - 2021. Fertilizer, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947). Hazardous Substances Act, 1973 (Act No.15 of 1973). Regulations for Hazardous Chemical Agents – 2021. SANS11014:2010. Safety Data Sheet for Chemical Products – Content and Order of Sections. SANS10206: 2020. The Handling, Storage and Disposal of Pesticides. National Road Traffic Act, 1996 (Act No. 93 of 1996). SANS 10228:2012- The identification and classification of dangerous goods for transport by road and rail modes. National Environmental Management: waste Act 59 of 2008.

Zambia: The Pesticides and Toxic Substances Regulations. Statutory Instrument 20 of 1994 (Act No. 13 of 1994). Environmental Management (Licensing) Regulations, Statutory Instrument No. 112 of 2013 (“S.I 112 of 2013”). ZS 708 – Globally Harmonized System of Classification and Labelling of Chemicals. Environmental Management Act (EMA) of 2011.

Kenya: The Occupational Safety and Health Act, 2007 (Act No. 15 of 2007). The Factories and Other places of Work Act (CAP.514).

Angola: Executive Decree No.128/06 of November 23, general regulations of safety and health signals at work. 20041123.

Namibia: Labour Act 11 of 2007. Regulations relating to the Health and Safety of Employees at Work. Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997.

Botswana: Pesticides and Toxic Substances Regulations. 1994 (2006). Agrochemicals Regulations (under Section 31) (8th August, 2003). Environmental and Pollution Control Act. 1990. Environmental Management (Licensing) Regulations. (S.I. No 112 of 2013). Statutory Instrument 20 of 1994 Act No. 13 of 1994.

16. OTHER INFORMATION

The information on this sheet is not a specification, it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instruction or recommendations are not followed.

All information is given in good faith, but without guarantee in respect of accuracy, and no responsibility is accepted for errors or omissions or the consequence thereof.

Key to Abbreviations

AND	European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
COD	Chemical Oxygen Demand
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
IATA	International Air Transport Association



SAFETY DATA SHEET

SUMIPLEO

ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
Log _{Pow}	Logarithm of the octanol/water partition coefficient
LD ₅₀	Lethal Dose 50
LC ₅₀	Lethal Concentration 50
RID	The Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
TG	Technical Grade
UN	United Nations

Issued: April 2022