



Reg. No. M480 Act No. 36 of 1947

FERTILIZER GROUP 3

Endomycorrhizal fungi mixture is an SC formulation for use on legume crops (incl. dry beans, green beans, peas, chickpeas, pigeon peas, soybeans, peanuts, lucerne, lupins, clover), maize, sweetcorn, sorghum, millet, potatoes, and sunflowers, to improve marketable yield.



**DANGER /
GEVAAR**

Hazard Statements:

Causes serious eye damage.

Precautionary Statements:

Wash hands and face thoroughly after handling.

Wear eye protection/face protection.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Active Ingredient:

Rhizophagus irregularis (381 propagules/ml)

Claroideoglomus luteum (381 propagules/ml)

Claroideoglomus claroideum (381 propagules/ml)

Claroideoglomus etunicatum (381 propagules/ml)

Total active ingredient content: 1 524 propagules/ml

SG @ 20°C 1.03 g/ml

Net volume 1L; 3,79 L (1 gallon); 5L; 20L; 200L

REGISTRATION HOLDER

PHILAGRO SOUTH AFRICA (PTY) LTD

REG NO 1998/010658/07

R21 Business Corporate Park, 6 Viceroy Link Road, Irene, Centurion

Post Net Suite #378, Private bag X025

Lynnwood ridge, Pretoria, 0040

Tel: (012) 3488808

MycoApply® is a registered trademark of Mycorrhizal Applications LLC, Grants Pass, Oregon, USA/VSA.

Batch No.

Date of Manufacture

Shelf life

24 months

UN No. Not Regulated

Emergency Numbers:

Griffon Poison Information Centre: +27(0) 82 446 8946

Poisons Information Centre: +27(0) 86 155 5777

WARNINGS

GHS Hazard Statements:

Causes serious eye damage.

Store in a cool dry place out of direct sunlight.

Do not freeze.

Do not store near pesticides.

Keep out of reach of children, uninformed persons and animals.

PRECAUTIONS

GHS Precautionary Statements:

General

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Prevention

Wash hands and face thoroughly after handling.

Wear eye protection/face protection.

Response

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Get medical help.

Disposal

Dispose of contents or container to an approved waste disposal facility and in accordance with national regulations.

Use outdoors or in a well-ventilated area.

Avoid contact with eyes.

If on skin, wash with plenty of water.

Wash hands with soap and water after handling this product.

RELEVANT SUBSTANCES:

The mixture contains Dowfax 3B2 Solution, which contribute towards the GHS classification of **MYCOAPPLY®** **ENDOPRIME™**.

DIRECTIONS FOR USE: Use only as directed.

In furrow application at planting:

- Apply as a band application in at least 50L/ha water volume over the seed or seed tubers before closing the planting furrow.
- After mixing with appropriate amount of spray water, ensure proper agitation.
- **Maintain continuous agitation in the spray tank and during application in order to assure a uniform suspension.**

Seed application:

- **MycoApply® EndoPrime™** can be applied as a seed application.
- Apply over seed and mix to ensure even coverage. Let seed dry off before re-bagging or planting.
- Avoid over-wetting the seed.
- If applicable, store applied seed at room temperature, out of direct sunlight.

CROPS AND APPLICATION RATES:

CROP	RECOMMENDED APPLICATION RATE
LEGUME CROPS Dry beans, soybeans, green beans, peas (Garden/English, snow and sugar snap), chickpeas, pigeon peas, peanuts (groundnuts), lupins, clover, lucerne (alfalfa) and lentils.	IN FURROW APPLICATION: 150 ml MycoApply® EndoPrime™ per ha
	SEED APPLICATION: 150 ml MycoApply® EndoPrime™ per ha seed
MAIZE, SWEETCORN, SORGHUM & MILLET	IN FURROW APPLICATION: 150 ml MycoApply® EndoPrime™ per ha
POTATOES	IN FURROW APPLICATION: 150 ml MycoApply® EndoPrime™ per ha
SUNFLOWERS	IN FURROW APPLICATION: 150 ml MycoApply® EndoPrime™ per ha
	SEED APPLICATION: 150 ml MycoApply® EndoPrime™ per ha seed
For recommendation on other crops refer to the registration holder of MycoApply® EndoPrime™.	

DISCLAIMER:

Mycorrhizal symbiosis is sensitive to environmental conditions. Although MycoApply® EndoPrime has been tested under a wide range of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, as well as compatibility with other substances not indicated on the label.

